



### Male thread straight (SA)



### red

MS: Mild steel (copper plated)



### Silver

SUS: Stainless steel



### yellow

AL: Aluminum steel





- Standard compatible
- △ Made-to-order products

○ indicates a standard compatible product, but we cannot guarantee that it will be in stock. Please be sure to inquire about stock availability.

Part Number	Thread Diameter	Total length (mm)	MS (mild steel) Copper plated	SUS stainless	AL Aluminum	Small box quantity
M3- 5-SAO	M3	5	○	○	△	Small 1000
6-SAO	M3	6	○	○	○	Small 1000
8-SAO	M3	8	○	○	○	Small 1000
10-SAO	M3	10	○	○	○	Small 1000
12-SAO	M3	12	○	○	○	Small 1000
15-SAO	M3	15	○	○	○	Small 1000
18-SAO	M3	18	○	△	△	Small 1000
20-SAO	M3	20	○	○	○	Small 1000
25-SAO	M3	twenty five	○	○	○	Small 1000
30-SAO	M3	30	○	○	△	large 1000
35-SAO	M3	35	○	○	△	Large 500
40-SAO	M3	40	○	○	○	Large 500
45-SAO	M3	45	○	○	△	Large 500
50-SAO	M3	50	○	○	△	Large 500
M4- 5-SAO	M4	5	○	○	△	Small 1000
6-SAO	M4	6	○	○	○	Small 1000
8-SAO	M4	8	○	○	○	Small 1000
10-SAO	M4	10	○	○	○	Small 1000
12-SAO	M4	12	○	○	○	Small 1000
15-SAO	M4	15	○	○	○	Small 1000
18-SAO	M4	18	○	△	△	large 1000
20-SAO	M4	20	○	○	○	large 1000
25-SAO	M4	twenty five	○	○	○	large 1000
30-SAO	M4	30	○	○	○	Large 500
35-SAO	M4	35	○	○	△	Large 500
40-SAO	M4	40	○	○	○	Large 500
45-SAO	M4	45	○	○	○	Large 500
50-SAO	M4	50	○	○	△	large 250

Male thread straight (SA)



red

MS: Mild steel (copper plated)



Silver

SUS: Stainless steel



yellow

AL: Aluminum steel





- Standard compatible
- △ Made-to-order products

○ indicates a standard compatible product, but we cannot guarantee that it will be in stock. Please be sure to inquire about stock availability.

Part Number	Thread Diameter	Total length (mm)	MS (mild steel) Copper plated	SUS stainless	AL Aluminum	Small box quantity
M5- 8-SAO	M5	8	○	○	○	Small 1000
10-SAO	M5	10	○	○	○	Small 1000
12-SAO	M5	12	○	○	○	large 1000
15-SAO	M5	15	○	○	○	large 1000
18-SAO	M5	18	○	○	△	large 1000
20-SAO	M5	20	○	○	○	Large 500
25-SAO	M5	twenty five	○	○	○	Large 500
30-SAO	M5	30	○	○	○	Large 500
35-SAO	M5	35	○	○	○	Large 500
40-SAO	M5	40	○	△	○	large 250
45-SAO	M5	45	○	△	△	large 250
50-SAO	M5	50	○	○	△	Large 200
M6- 8-SAO	M6	8	○	○	○	large 1000
10-SAO	M6	10	○	○	○	large 1000
12-SAO	M6	12	○	○	○	large 1000
15-SAO	M6	15	○	○	○	Large 500
20-SAO	M6	20	○	○	○	Large 500
25-SAO	M6	twenty five	○	○	○	Large 500
30-SAO	M6	30	○	○	○	large 250
35-SAO	M6	35	○	○	○	large 250
40-SAO	M6	40	○	○	○	large 250
45-SAO	M6	45	○	△	△	Large 200
50-SAO	M6	50	○	○	△	Large 200

Male thread straight (SA)



red

MS: Mild steel (copper plated)



Silver

SUS: Stainless steel



yellow

AL: Aluminum steel



- Standard compatible
- △ Made-to-order products

○ indicates a standard compatible product, but we cannot guarantee that it will be in stock. Please be sure to inquire about stock availability.

Part Number	Thread Diameter	Total length (mm)	MS (mild steel) Copper plated	SUS stainless	AL Aluminum	Small box quantity
M8- 10-SAO	M8	10	○	○	-	Large 500
12-SAO	M8	12	○	○	-	Large 500
15-SAO	M8	15	○	○	-	Large 500
20-SAO	M8	20	○	○	-	large 250
25-SAO	M8	twenty five	○	○	-	large 250
30-SAO	M8	30	○	○	-	large 250
35-SAO	M8	35	○	○	-	Large 200
40-SAO	M8	40	○	○	-	large 150
45-SAO	M8	45	○	△	-	large 100
50-SAO	M8	50	○	△	-	large 100
M10- 12-SAO	M10	12	△	△	-	large 250
15-SAO	M10	15	○	△	-	large 250
20-SAO	M10	20	○	△	-	Large 200
25-SAO	M10	twenty five	○	△	-	large 150
30-SAO	M10	30	○	△	-	large 150
35-SAO	M10	35	○	△	-	large 100
40-SAO	M10	40	○	△	-	large 100
45-SAO	M10	45	△	△	-	large 50
50-SAO	M10	50	△	△	-	large 50